

SafePay RC2000

An Automated Checkout Device for Cash Payments

SafePay provides retailers a reliable and adaptable solution that secures and automates cash payments at multiple points within a store. With its small footprint and modular design, SafePay fits under the counter and integrates into a self-checkout terminal or a cashier-facing payment terminal. The rich design and feature set provides unparalleled use case flexibility – enabling retailers to automate cash payments for optimal employee and customer experience.



Closed Loop Cash Management

SafePay cash deposits can be collected into a secure cassette or into a thermally sealed plastic bag – preventing access to cash at any time, thus enabling an effective closed loop cash management process

Multiple Deployment Scenarios

SafePay has been designed to fit under a counter, enabling it to easily integrate as a self-checkout solution, assisted self-checkout solution, or cashier-facing payment terminal

System Reporting and Monitoring

SafePay offers the intelligence required to be a component of a comprehensive cash management dashboard, point-of-sale system, or remote service monitoring tool

Streamlined System Maintenance

SafePay has been architected in such a way to enable plug and play replacement of key components as well as remote problem resolution via its software platform



Self-Checkout



Assisted Self-Checkout



Cashier Facing Terminal

Specifications

		DU (Deposit Unit) Cassette		Sealed Bag Collection
		NR2	NR2 w/ rear IDU	NR2 w/ rear IDU
Dimensions (W x D x H)		8.3 x 18.8 x 29 in	8.3 x 18.8 x 29 in	10.6 x 22.5 x 33 in
Deposit	Capacity of Inlet	1 note	1 note	1 note
	Speed of Cash In	1 notes/sec	1 notes/sec	1 notes/sec
Dispense	Capacity of Outlet	1 note	1 note	1 note
	Speed of Cash Out	1 notes/sec	1 notes/sec	1 notes/sec
Recycle Modules		1	2	2
Recycle Capacity		90 notes on drum	490	490
			-90 notes on drum	-90 notes on drum
			-400 notes in rear IDU	-400 notes in rear IDU
Deposit Capacity		Up to 500 notes	Up to 500 notes	Up to 500 notes (sealed bag)
Total Capacity		Up to 590 notes	Up to 890 notes	Up to 890 notes
		CR2	CR3	CR3 Slim
Dimensions (W x D x H)		17.7 x 5.1 x 51.8 in	11.8 x 12.9 x 24.5 in	8.25 x 13.5 x 28 in
Deposit	Capacity of Inlet	25-75 coins	200 coins	200 coins
	Speed of Coin In	2 coins/sec	5 coins/sec	5 coins/sec
Dispense	Speed of Coin Out	3.5 coins/sec	avg. 6 coins/sec	up to 12 coins/sec
Recycle Capacity		100 – 1000 per denom	3000 coins (mixed denom)	1,800 coins (measured in \$US pennies)
Total Capacity			3000 coins	1,800 coins (measured in \$US pennies)